

## APPENDIX A

<b>Salt Application Quick-Reference Guideline</b> (**Double these rates for centerline applications**)			
Pavement Temp. Range	Application Rate (#/LM)	Pre-wet Material	Comments
Above 32°	0 to 100	Salt Brine or Blend	A little salt goes a long way when temperatures are near freezing
25° to 32°	100 to 200	Salt Brine or Blend	Salt is very effective here. Pre-wetting with a blend will allow lower application rates.
20° to 25°	200 to 300	Salt Brine, Chemical, or Blend	Salt effectiveness is dropping off in this range. A Blend or straight chemical will help.
15° to 20°	300 to 400	Chemical or Blend	Pre-wetting is especially important. Your liquids will provide the extra boost needed.
15° or Below	Snow is usually dry and blowing in this range. If no ice or pack exists, plow only - DO NOT APPLY MATERIAL		If necessary, spot treat icy patches with abrasives. If glazing occurs on high-volume, high-speed, sand will not last and higher salt applications, with pre-wetting, will be needed.

**General Notes:**

- (1) Application rates should be on the lower end when temperatures are on the higher side of the range or remaining steady. Falling temperatures, and temperatures on the lower side of the range, will require applications on the higher side, and possibly in the next range if dropping rapidly.
- (2) In any of the ranges, if the snow is dry and blowing off of the roadway, do NOT apply material.
- (3) Pre-wetting under wet storm conditions is not required. In cases where the only pre-wetting liquid available is a high-performance chemical, it is better to save those products for the drier and colder conditions.
- (4) This is a guideline only. Application rates will vary based on climatic conditions experienced in the field, as well as corridor priority.

**APPENDIX B**

<b>Application Rates vs. Miles You Can Treat</b>							
<b># of Tons</b>	<b>Application Rate (Pounds Per Lane Mile)</b>						
	<b>100</b>	<b>150</b>	<b>200</b>	<b>250</b>	<b>300</b>	<b>350</b>	<b>400</b>
	<b>Lane Miles You Can Treat</b>						
<b>1</b>	20.0	13.3	10.0	8.0	6.7	5.7	5.0
<b>2</b>	40.0	26.7	20.0	16.0	13.3	11.4	10.0
<b>3</b>	60.0	40.0	30.0	24.0	20.0	17.1	15.0
<b>4</b>	80.0	53.3	40.0	32.0	26.7	22.9	20.0
<b>5</b>	100.0	66.7	50.0	40.0	33.3	28.6	25.0
<b>6</b>	120.0	80.0	60.0	48.0	40.0	34.3	30.0
<b>7</b>	140.0	93.3	70.0	56.0	46.7	40.0	35.0
<b>8</b>	160.0	106.7	80.0	64.0	53.3	45.7	40.0
<b>9</b>	180.0	120.0	90.0	72.0	60.0	51.4	45.0
<b>10</b>	200.0	133.3	100.0	80.0	66.7	57.1	50.0